Toter®

Built for Extremes®

FEL CONTAINERS

Toter®

PLASTIC FEL CONTAINERS

- Lasts up to 3X longer than steel containers
- Quieter than steel containers; perfect for areas where noise is a concern
- Lighter weight than steel containers for easier maneuverability
- Will not rust; perfect for environments where corrosion is a concern

Lid equipped with 5/8" solid hinge rod and opens to 270°

Rugged Rim® with steel rod reinforcement

Replaceable, double-walled lift pockets distribute weight for maximum pocket strength

Manufactured with up **to 50% recycled content**

Structured, ribbed bottom wear chimes provide added durability when used without casters

Quick-change caster brackets for easy repair and maintenance

STACKABLE DESIGN SAVES ON SPACE

- Stackable when fully assembled
- Shipped unassembled for better truckload efficiency

| Part	Description	Size (L x D x H)	Load Rating	Weight	Unassembled		Assembled	
					Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL020	2-cubic-yard FEL*	82.3 x 43.5" x 48.0"	1,000 lbs/454.55 kg	229 lbs.	5	80	3	45
FL030	3-cubic-yard FEL*	82.3" x 50.6" x 54.0"	1,500 lbs/681.8 kg	281 lbs.	4	64	2	24
FL040	4-cubic-yard FEL	82.3" x 60.0" x 47.5"	2,000 lbs/909.1 kg	314 lbs.	3	30	2	20

*Dimensions include casters.
†Standard front bumpers, large area for custom signage, sealed rim to contain odors, replaceable lift pockets, quick change caster brackets

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	Caster Mounting Pads Only
FL020	●	●	●	●	S	●	●	●
FL030	●	●	●	●	S	●	●	●
FL040	●	●	●	S	●	●	●	●

S = standard   ● = optional

NEW TOTER FR SERIES

- Steel rod reinforcement and ribbed bottom wear chimes for enhanced durability
- Double-walled lift pockets to distribute weight for maximum pocket strength
- Integrated bumpers to protect the container for longer life

Sealed rim to contain odors and eliminate leaks

Replaceable, double-walled lift pockets distribute weight for maximum pocket strength

Replaceable front bumpers to protect the container

Graphic space available for custom signage

Quick-change caster brackets for easy repair and maintenance

Replaceable, double-walled lift pockets for easy maintenance

Optional comfort & grip handles for easy maneuverability

Replaceable double-walled bumpers for long-lasting durability

| Part	Description	Size (L x D x H)	Load Rating	Weight	Unassembled		Assembled	
					Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FR010	1-cubic-yard FEL*	82.3" x 38.0" x 38.8"	750 lbs/340.91 kg	192 lbs.	6	96	4	60
FR020	2-cubic-yard FEL*	82.3" x 43.1" x 52.8"	1000 lbs/454.55 kg	231 lbs.	5	80	3	45
FR030	3-cubic-yard FEL*	82.3" x 51.1" x 61.9"	1,500 lbs/681.8 kg	280 lbs.	4	64	2	24
FR040	4-cubic-yard FEL	82.3" x 60.5" x 67.4"	2,000 lbs/909.1 kg	315 lbs.	3	30	2	20

*Dimensions include casters.

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	Caster Mounting Pads Only	Bumpers
FR010	●	●	●	●	S	●	●	●	S
FR020	●	●	●	●	S	●	●	●	S
FR030	●	●	●	●	S	●	●	●	S
FR040	●	●	●	S	●	●	●	●	S

S = standard   ● = optional

ORGANICS FEL CONTAINERS

- Specifically designed for heavy, wet organic waste
- Built-in drain plug for easy clean-out
- Withstands exposure to organic waste without rusting
- Leak-proof
- Locking lid

Trap door* provides safe, easy access

Additional cross support ribs* prevent lid from sagging

Reinforced lid with two extra lbs. of plastic* holds shape and seals tightly to the container

Manual lock bar with hasp lock makes lid fit tighter and eliminates need for rubber straps

Steel rod-reinforced rim and steel frame base prevent bowing

Part	Description	Size (L x D x H)	Load Rating	Weight	Unassembled Containers Per Stack	Unassembled 53' t/l Quantity	Assembled Containers Per Stack	Assembled 53' t/l Quantity
FL52C	2-cubic-yard Organics FEL	82.3" x 43.5" x 52.4"	2,000 lbs/909.1 kg	322 lbs.	4	64	3	45
FL53A	3-cubic-yard Organics FEL	82.3" x 50.6" x 64.1"	3,000 lbs/1363.6 kg	396 lbs.	3	39	1	15
FL53C	3-cubic-yard Organics FEL	82.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	409 lbs.	3	39	1	15

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	XHD Body With Steel Frame and Steel Runners	XHD Body With Steel Frame, 6" HD Casters, All Swivel, 2 Braking	XHD Body With Steel Frame, 6" HD Casters, 2 Swivel Braking, 2 Rigid	Plastic Lift Pockets	Organic Single Lid With Trap Door
FL52C	●	●	●	—	—	S	—	S	—
FL53A	●	●	●	S	S	—	—	S	●
FL53C	●	●	●	—	—	●	S	S	●

S = standard   ● = optional

STANDARD COLORS

GRAY (#125)   MIDNIGHT GRAY (#145)   BLUE (#705)   BLUE (#718)   FOREST GREEN (#960)   GREEN (#925)   GREEN (#940)   BROWN (#270)

Colors shown are as accurate as printing allows. Actual product colors are subject to variation from printed sample.

Toter®

Built for Extremes®